



## Saul-Wilson syndrome

Saul-Wilson syndrome is characterized by short stature (dwarfism) and other skeletal abnormalities. The growth problems in Saul-Wilson syndrome are called primordial, which means they begin before birth; affected individuals show slow prenatal growth (intrauterine growth retardation). After birth, affected individuals continue to grow at a very slow rate, with the average adult height being 3 feet, 6 inches (107 centimeters).

Individuals with Saul-Wilson syndrome have distinctive facial features that often include a prominent forehead, sparse scalp hair and eyebrows, prominent scalp veins, a narrow nasal bridge, a beaked nose, a wide area separating the nostrils (broad columella), a thin upper lip, and a small lower jaw (micrognathia). This combination of facial features can give affected individuals an appearance of premature aging, particularly in infancy, that is sometimes described as progeroid.

Additional skeletal abnormalities in Saul-Wilson syndrome include abnormalities in the structure of the long bones, short fingers and toes, an inward- and downward-turning foot (clubfoot), an abnormality of the hip joint that causes a decreased angle between the head and shaft of the upper leg bones (coxa vara), or flattened bones of the spine (platyspondyly) and other spinal abnormalities. Some affected individuals have bones that are unusually fragile, resulting in bone fractures that occur with little or no trauma. Adults with Saul-Wilson syndrome may experience joint pain (osteoarthritis) due to breakdown (degeneration) of the joints.

Children with Saul-Wilson syndrome often have hearing loss, clouding of the lenses of the eyes (cataracts), or a blue tint to the whites of the eyes (blue sclerae). They may also have retinitis pigmentosa, in which breakdown of the light-sensitive layer (retina) at the back of the eye can cause vision loss. Individuals with Saul-Wilson syndrome may have early delay of speech and motor development, but they usually have normal intelligence.

In Saul-Wilson syndrome, levels of white blood cells can vary from normal to low (intermittent neutropenia). Neutropenia makes it more difficult for the body to fight off foreign invaders such as bacteria and viruses, and may contribute to recurrent respiratory infections that occur in childhood in some individuals with Saul-Wilson syndrome.

### Frequency

Saul-Wilson syndrome is a very rare disorder. At least 16 affected individuals have been reported in the scientific literature.

## Causes

Saul-Wilson syndrome is caused by mutations in the *COG4* gene. This gene provides instructions for making one piece of a group of proteins known as the conserved oligomeric Golgi (COG) complex. This complex functions in the Golgi apparatus, which is a cellular structure in which newly produced proteins are modified so they can carry out their functions. The COG complex plays an important role in the transport of proteins from the Golgi apparatus to another cellular structure called the endoplasmic reticulum. The endoplasmic reticulum processes proteins and helps move them to other structures in the cell. Transporting proteins from the Golgi apparatus to the endoplasmic reticulum (known as retrograde transport) is important for recycling proteins and relocating misplaced proteins.

The *COG4* gene mutations that cause Saul-Wilson syndrome result in production of an abnormal *COG4* protein. Although the protein is altered, it is still able to be a part of the COG complex. When the abnormal *COG4* protein is part of the COG complex, the transport of proteins between the Golgi apparatus and the endoplasmic reticulum is increased. It is unclear how this change in retrograde transport impairs bone growth and leads to the signs and symptoms of Saul-Wilson syndrome.

## Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Most cases of this condition result from new (de novo) mutations in the gene that occur during the formation of reproductive cells (eggs or sperm) in an affected individual's parent or in early embryonic development. These cases occur in people with no history of the disorder in their family.

## Other Names for This Condition

- microcephalic osteodysplastic dysplasia
- microcephalic osteodysplastic dysplasia Saul Wilson type

## Diagnosis & Management

### Genetic Testing Information

- What is genetic testing?  
[/primer/testing/geneticTesting](#)
- Genetic Testing Registry: SAUL-WILSON SYNDROME  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1300285/>

### Other Diagnosis and Management Resources

- GeneReview: Saul-Wilson Syndrome  
<https://www.ncbi.nlm.nih.gov/books/NBK554080>

## **Additional Information & Resources**

### Health Information from MedlinePlus

- Encyclopedia: Microcephaly  
<https://medlineplus.gov/ency/article/003272.htm>
- Health Topic: Dwarfism  
<https://medlineplus.gov/dwarfism.html>

### Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Microcephaly Information Page  
<https://www.ninds.nih.gov/Disorders/All-Disorders/Microcephaly-Information-Page>

### Educational Resources

- Boston Children's Hospital: Growth Problems  
<http://www.childrenshospital.org/conditions-and-treatments/conditions/g/growth-problems>
- European Skeletal Dysplasia Network  
<http://www.esdn.org/eug/>
- MalaCards: saul-wilson syndrome  
[https://www.malacards.org/card/saul\\_wilson\\_syndrome](https://www.malacards.org/card/saul_wilson_syndrome)
- UCLA International Skeletal Dysplasia Registry  
<https://www.uclahealth.org/ortho/isdr>

### Patient Support and Advocacy Resources

- Little People of America  
<https://www.lpaonline.org/>
- Little People UK  
<https://littlepeopleuk.org/>
- The MAGIC Foundation  
<https://www.magicfoundation.org/>

### Clinical Information from GeneReviews

- Saul-Wilson Syndrome  
<https://www.ncbi.nlm.nih.gov/books/NBK554080>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Saul-Wilson+syndrome%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

## Catalog of Genes and Diseases from OMIM

- SAUL-WILSON SYNDROME  
<http://omim.org/entry/618150>

## Medical Genetics Database from MedGen

- Microcephalic osteodysplastic dysplasia, Saul-Wilson type  
<https://www.ncbi.nlm.nih.gov/medgen/722057>

## **Sources for This Summary**

- Blackburn JB, D'Souza Z, Lupashin VV. Maintaining order: COG complex controls Golgi trafficking, processing, and sorting. *FEBS Lett.* 2019 Sep;593(17):2466-2487. doi: 10.1002/1873-3468.13570. Epub 2019 Aug 16. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/31381138>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6771879/>
- Ferreira C. Saul-Wilson Syndrome. 2020 Feb 20. In: Adam MP, Ardinger HH, Pagon RA, Wallace SE, Bean LJH, Stephens K, Amemiya A, editors. *GeneReviews®* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2020. Available from <http://www.ncbi.nlm.nih.gov/books/NBK554080/>  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/32078278>
- Ferreira CR, Xia ZJ, Clément A, Parry DA, Davids M, Taylan F, Sharma P, Turgeon CT, Blanco-Sánchez B, Ng BG, Logan CV, Wolfe LA, Solomon BD, Cho MT, Douglas G, Carvalho DR, Bratke H, Haug MG, Phillips JB, Wegner J, Tiemeyer M, Aoki K; Undiagnosed Diseases Network; Scottish Genome Partnership, Nordgren A, Hammarsjö A, Duker AL, Rohena L, Hove HB, Ek J, Adams D, Tift CJ, Onyekweli T, Weixel T, Macnamara E, Radtke K, Powis Z, Earl D, Gabriel M, Russi AHS, Brick L, Kozenko M, Tham E, Raymond KM, Phillips JA 3rd, Tiller GE, Wilson WG, Hamid R, Malicdan MCV, Nishimura G, Grigeliuniene G, Jackson A, Westerfield M, Bober MB, Gahl WA, Freeze HH. A Recurrent De Novo Heterozygous COG4 Substitution Leads to Saul-Wilson Syndrome, Disrupted Vesicular Trafficking, and Altered Proteoglycan Glycosylation. *Am J Hum Genet.* 2018 Oct 4;103(4):553-567. doi: 10.1016/j.ajhg.2018.09.003.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/30290151>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6174323/>
- Ferreira CR, Zein WM, Huryn LA, Merker A, Berger SI, Wilson WG, Tiller GE, Wolfe LA, Merideth M, Carvalho DR, Duker AL, Bratke H, Haug MG, Rohena L, Hove HB, Xia ZJ, Ng BG, Freeze HH, Gabriel M, Russi AHS, Brick L, Kozenko M, Earl DL, Tham E, Nishimura G, Phillips JA 3rd, Gahl WA, Hamid R, Jackson AP, Grigeliuniene G, Bober MB. Defining the clinical phenotype of Saul-Wilson syndrome. *Genet Med.* 2020 Jan 17. doi: 10.1038/s41436-019-0737-1. [Epub ahead of print]  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/31949312>
- Saul RA, Wilson WG. COMMENTARY-The Saul-Wilson syndrome from its early days until now. *Am J Med Genet A.* 2019 Feb;179(2):159-160. doi: 10.1002/ajmg.a.8. Epub 2018 Dec 13.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/30548960>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/saul-wilson-syndrome>

Reviewed: April 2020

Published: June 23, 2020

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services